



SAFEDRIVER HV VEST item 2306

1

Fabric:
100% POLYESTERE

Packing:
MASTERPOLY 1 PZ., BOX 100 PZ.

Size: XL

Description:
REFLECTIVE STRIPES
CAN BE OPENED WITH VELCRO
PPE 2nd category
Max 25 wash cycles
Complies with the standards UNI EN ISO 13688 and UNI EN ISO 20471 (class 2)



DPI
2^a categoria

UNI EN ISO 13688



conforme
UNI EN ISO 20471

Available color: orange and yellow



2306AA
ARANCIO



2306GI
GIALLO

Size chart (1-2% tolerance):

| Sizes | XL |
|--------------|----|
| ½ chest | 64 |
| Total lenght | 65 |

Features: These garments are Personal Protective Equipment (PPE). On them you will find the CE marking. In addition, these garments meet the requirements of the European technical standards UNI EN ISO 13688:2013 and UNI EN ISO 20471:2013+A1:2016.

Category: Category II

Performance: This garment is suitable for use in the presence of a risk of poor visibility or in conditions where it is necessary that the presence of the user must be visually signaled (e.g. road construction sites, airports, etc.), as it is able to provide the user with high visibility in dangerous situations in any daylight condition and in the light of vehicle headlights in the dark.

This PPE does not protect against:

- Risk from chemical aggression
- Risk of entanglement in moving parts
- Risk from mechanical aggression
- Thermal risk
- Risks from crossing and extinguishing flames
- Risks other than those specified above

Identification and choice: The choice of suitable clothing must be made according to the specific needs of the workplace, the type of risk and the related environmental conditions. The responsibility for identifying and choosing the appropriate and appropriate PPE is the responsibility of the Employer. Therefore, it is advisable to check, before use, the suitability of the characteristics of this garment for your needs.

Warnings: Before use, carry out a visual inspection of the item, to make sure that it is in perfect condition, clean and intact. If there is visible damage (unstitching, breakage) the garment must be replaced. The garment meets the safety features only if it is perfectly worn and in perfect condition. No alterations of the PPE are allowed. Keep the information note for the duration of the PPE. We accept no liability for any damage and/or consequences resulting from improper use.

Storage and maintenance instructions: Store in the original packaging, away from light. The garment should be stored in a dry place away from heat sources. Avoid contact with solvent products that may cause alteration of the characteristics.

Cleaning: Treatment at normal temperature (max. 40°C), normal spin, bleaching prohibited. Do not remove stains with solvents, do not tumble dry, do not iron.

Disposal: If the garments have not been contaminated with special substances or products, they can be disposed of as normal textile waste, otherwise they must be disposed of in accordance with the current legal requirements for special waste.

Marking: inside the garment you will find a label with the following marking:

CE : CE marking attesting to compliance with essential safety requirements.




: trade mark BS95C000296

2306AA: model (example)

XL: size (example)

EN ISO 20471:2013+A1:2016



X = Fluorescent Material Class:

This pictogram indicates that the garment complies with the requirements of EN ISO 20471:2013+A1:2016 for protective equipment against risks arising from poor visibility.

Classification:

| | |
|---------------------|---------------|
| | 2306AA/2306GI |
| Base Material Class | 2 |

Size chart: To be on the safe side, the user must correctly choose their size from those indicated.



| | |
|---------------------|---------|
| | XL |
| Chest circumference | 102-106 |
| Waist circumference | 90-94 |
| Height | 178-182 |

The declaration of conformity can be found at the following internet address: www.socim.it